

PERFORMANCE - OLDSMOBILE

Engine	Year	Line	Engine	Year	Line	Engine	Year	Line
6, 8 Cyl.			8 Cyl. (Continued)			8 Cyl. (Continued)		
260	1975-82	1	307	1980-88	4	425	1965-67	8
8 Cyl.			350	1968-80	5	455	1968-76	9
267	1981-82	2	400	1965-69	6			
305	1977-87	3	403	1977-79	7			

Line No.	Part Title	Part No	Description
----------	------------	---------	-------------

1	260 ENG - 1975-82 - 8 Cyl. - 3.500 Bore		
----------	--	--	--

Oil Pump	M-22FHV	HI VOL PUMP (20% ADD'L VOL OF OIL) NOTE: THIS HI VOL PUMP IS MANUFACTURED W/BOLT ON TYPE FLANGE AND A CHAMFERED HOLE. EITHER A BOLT ON OR PRESS IN SCREEN CAN BE USED.
Torque Camshaft	MTO-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
Torque Cam Lifter Kit	CL-MTO-1	KIT INCLUDES 1-[MTO-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. CHECK FOR COIL BIND. USE [VS-720] SPRING W/INSTALLED HGT. OF 1.67 CLASS I NOT COMPUTER COMPATIBLE
Camshafts Using Hydraulic Lifters	25211 25309 25310	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT .295 INT .310 EXH CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
Camshaft Lifter Kits Using Hydraulic Lifters	35309 35310	KIT INCLUDES 1-[25309] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE KIT INCLUDES 1-[25310] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE
Mell Lube	M-10012	
Hydraulic Lifters	299514	
Valve Spring with Hydraulic Lifters	466124 466134	INNER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED INNER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED
Valve Locks	476104	11/32" STEM
Retainers	475054	CHROME MOLY - USE WITH [466134] SPRINGS
3pc Set	40409	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET

2	267 ENG - 1981-82 - 8 Cyl. - 3.500 Bore		
----------	--	--	--

Gear Set	48400Q	QUIET - INCLUDES 8620 CARBURIZED STEEL GEARS, ROLLER CAM BUTTON, LOCK PLATE AND BOLTS. TIMING ADJUSTED WITH 5 OPTIONAL COLOR CODED DOWEL PIN HOLE INSERTS. RECOMMENDED FOR STREET AND STRIP, CLAIMER AND RACING ENGINES UP TO 6,500 RPM.
Mell Lube	M-10012	
Gear Drive Set	48400	NOISY - INCLUDES 8620 CARBURIZED STEEL GEARS, ROLLER CAM BUTTON, LOCK PLATE AND BOLTS. TIMING ADJUSTED WITH 5 OPTIONAL COLOR CODED DOWEL PIN HOLE INSERTS. RECOMMENDED FOR STREET AND STRIP, CLAIMER AND RACING ENGINES UP TO 6,500 RPM.
3pc Set	48500T-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES

Continued on Next Page

PERFORMANCE - OLDSMOBILE (Continued)

Line No.	Part Title	Part No	Description
2	267 ENG - 1981-82 - 8 Cyl. - 3.500 Bore (Continued)		
	3pc Set	48500W-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. BRONZE WASHER RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
3	305 ENG - 1977-88 - 8 Cyl. - 3.736 Bore		
	Mell Lube	M-10012	
	Gear Drive Set	48400	NOISY - INCLUDES 8620 CARBURIZED STEEL GEARS, ROLLER CAM BUTTON, LOCK PLATE AND BOLTS. TIMING ADJUSTED WITH 5 OPTIONAL COLOR CODED DOWEL PIN HOLE INSERTS. RECOMMENDED FOR STREET AND STRIP, CLAIMER AND RACING ENGINES UP TO 6,500 RPM.
		48400Q	QUIET - INCLUDES 8620 CARBURIZED STEEL GEARS, ROLLER CAM BUTTON, LOCK PLATE AND BOLTS. TIMING ADJUSTED WITH 5 OPTIONAL COLOR CODED DOWEL PIN HOLE INSERTS. RECOMMENDED FOR STREET AND STRIP, CLAIMER AND RACING ENGINES UP TO 6,500 RPM.
	3pc Set	48500T-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES
		48500W-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. BRONZE WASHER RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES
4	307 ENG - 1980-88 - 8 Cyl. - 3.500 Bore		
	Oil Pump	M-22FHV	HI VOL PUMP (20% ADD'L VOL OF OIL) NOTE: THIS HI VOL PUMP IS MANUFACTURED W/BOLT ON TYPE FLANGE AND A CHAMFERED HOLE. EITHER A BOLT ON OR PRESS IN SCREEN CAN BE USED.
	Torque Camshaft	MTO-1	1980-1984 CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTO-1	1980-1984 KIT INCLUDES 1-[MTO-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. CHECK FOR COIL BIND. USE [VS-720] SPRING W/INSTALLED HGT. OF 1.67 CLASS I NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	25211	1980-1984 CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT .295 INT .310 EXH
		25309	1980-1984 CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
		25310	1980-1984 CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Camshaft Lifter Kits Using Hydraulic Lifters	35309	1980-1984 KIT INCLUDES 1-[25309] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE
		35310	1980-1984 KIT INCLUDES 1-[25310] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE
	Mell Lube	M-10012	
	Hydraulic Lifters	299514	1980-1984
	Valve Spring with Hydraulic Lifters	466124	INNER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED
	<i>Continued on Next Page</i>		

PERFORMANCE - OLDSMOBILE (Continued)

Line No.	Part Title	Part No	Description
4	307 ENG - 1980-88 - 8 Cyl. - 3.500 Bore (Continued)		
	Valve Spring with Hydraulic Lifters	466134	OUTER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED
	Valve Locks	476104	11/32" STEM
	Retainers	475054	CHROME MOLY - USE WITH [466134] SPRINGS
5	350 ENG - 1968-80 - 8 Cyl. - 4.057 Bore		
	Oil Pump	M-22FHV	HI VOL PUMP (20% ADD'L VOL OF OIL) NOTE: THIS HI VOL PUMP IS MANUFACTURED W/BOLT ON TYPE FLANGE AND A CHAMFERED HOLE. EITHER A BOLT ON OR PRESS IN SCREEN CAN BE USED.
	Torque Camshaft	MTO-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTO-1	KIT INCLUDES 1-[MTO-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. CHECK FOR COIL BIND. USE [VS-720] SPRING W/INSTALLED HGT. OF 1.67 CLASS I NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	25211 25309 25310	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT .295 INT .310 EXH CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Camshaft Lifter Kits Using Hydraulic Lifters	35309 35310	KIT INCLUDES 1-[25309] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE KIT INCLUDES 1-[25310] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	MUST BE USED WITH ADJUSTABLE VALVE TRAIN SET AT ZERO LASH
	Valve Spring with Hydraulic Lifters	466124 466134	INNER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED OUTER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED
	Valve Locks	476104	11/32" STEM
	Retainers	475054	CHROME MOLY - USE WITH [466134] SPRINGS
	Gear Drive Set	48400 48400Q	1977-1979 NOISY - INCLUDES 8620 CARBURIZED STEEL GEARS, ROLLER CAM BUTTON, LOCK PLATE AND BOLTS. TIMING ADJUSTED WITH 5 OPTIONAL COLOR CODED DOWEL PIN HOLE INSERTS. RECOMMENDED FOR STREET AND STRIP, CLAIMER AND RACING ENGINES UP TO 6,500 RPM. 1977-1979 QUIET - INCLUDES 8620 CARBURIZED STEEL GEARS, ROLLER CAM BUTTON, LOCK PLATE AND BOLTS. TIMING ADJUSTED WITH 5 OPTIONAL COLOR CODED DOWEL PIN HOLE INSERTS. RECOMMENDED FOR STREET AND STRIP, CLAIMER AND RACING ENGINES UP TO 6,500 RPM.
	3pc Set	48500T-9 48500W-9	1977-1979 INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES. 1977-1979 INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. BRONZE WASHER RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.

PERFORMANCE - OLDSMOBILE (Continued)

Line No.	Part Title	Part No	Description
6	400 ENG - 1965-69 - 8 Cyl. - 4.000 Bore		
	Oil Pump	M-22FHV	HI VOL PUMP (20% ADD'L VOL OF OIL) NOTE: THIS HI VOL PUMP IS MANUFACTURED W/BOLT ON TYPE FLANGE AND A CHAMFERED HOLE. EITHER A BOLT ON OR PRESS IN SCREEN CAN BE USED.
	Torque Camshaft	MTO-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTO-1	KIT INCLUDES 1-[MTO-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. CHECK FOR COIL BIND. USE [VS-720] SPRING W/INSTALLED HGT. OF 1.67 CLASS I NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	25211	1967-1969 CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT .295 INT .310 EXH
		25309	1967-1969 CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
		25310	1967-1969 CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Camshaft Lifter Kits Using Hydraulic Lifters	35309	1967-1969 KIT INCLUDES 1-[25309] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE
		35310	1967-1969 KIT INCLUDES 1-[25310] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	EXCLUDES 1966-67 APPLICATIONS MUST BE USED WITH ADJUSTABLE VALVE TRAIN SET AT ZERO LASH
	Valve Spring with Hydraulic Lifters	466124	INNER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED
		466134	OUTER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED
	Valve Locks	476104	11/32 inch STEM
	Retainers	475054	CHROME MOLY - USE WITH [466134] SPRINGS
	Chrome Moly Push Rods	500564	1968-1969 MAX. SPRING PRESSURE 350 LBS. HEAT TREATED
	3pc Set	40409	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET
7	403 ENG - 1977-79 - 8 Cyl. - 4.350 Bore		
	Oil Pump	M-22FHV	HI VOL PUMP (20% ADD'L VOL OF OIL) NOTE: THIS HI VOL PUMP IS MANUFACTURED W/BOLT ON TYPE FLANGE AND A CHAMFERED HOLE. EITHER A BOLT ON OR PRESS IN SCREEN CAN BE USED.
	Torque Camshaft	MTO-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTO-1	KIT INCLUDES 1-[MTO-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. CHECK FOR COIL BIND. USE [VS-720] SPRING W/INSTALLED HGT. OF 1.67 CLASS I NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	25211	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT .295 INT .310 EXH
		25309	CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
		25310	CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Camshaft Lifter Kits Using Hydraulic Lifters	35309	KIT INCLUDES 1-[25309] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE
		35310	KIT INCLUDES 1-[25310] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE
	Mell Lube	M-10012	
	<i>Continued on Next Page</i>		

PERFORMANCE - OLDSMOBILE (Continued)

Line No.	Part Title	Part No	Description
7	403 ENG - 1977-79 - 8 Cyl. - 4.350 Bore (Continued)		
	Hydraulic Lifters	299514	
	Valve Spring with Hydraulic Lifters	466124 466134	INNER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED OUTER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED
	Valve Locks	476104	11/32" STEM
	Retainers	475054	CHROME MOLY - USE WITH [466134] SPRINGS
	3pc Set	40409	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET
8	425 ENG - 1965-67 - 8 Cyl. - 4.125 Bore		
	Oil Pump	M-22FHV	HI VOL PUMP (20% ADD'L VOL OF OIL) NOTE: THIS HI VOL PUMP IS MANUFACTURED W/BOLT ON TYPE FLANGE AND A CHAMFERED HOLE. EITHER A BOLT ON OR PRESS IN SCREEN CAN BE USED.
	Torque Camshaft	MTO-1	1967 CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTO-1	1967 KIT INCLUDES 1-[MTO-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. CHECK FOR COIL BIND. USE [VS-720] SPRING W/INSTALLED HGT. OF 1.67 CLASS I NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	25211 25309 25310	1967 CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT .295 INT .310 EXH 1967 CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED 1967 CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Camshaft Lifter Kits Using Hydraulic Lifters	35309 35310	1967 KIT INCLUDES 1-[25309] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE 1967 KIT INCLUDES 1-[25310] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE
	Mell Lube	M-10012	
	Valve Spring with Hydraulic Lifters	466124 466134	INNER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED OUTER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED
	Valve Locks	476104	11/32" STEM
	Retainers	475054	CHROME MOLY - USE WITH [466134] SPRINGS
	3pc Set	40409	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET
9	455 ENG - 1968-76 - 8 Cyl. - 4.125 Bore		
	Oil Pump	M-22FHV	HI VOL PUMP (20% ADD'L VOL OF OIL) NOTE: THIS HI VOL PUMP IS MANUFACTURED W/BOLT ON TYPE FLANGE AND A CHAMFERED HOLE. EITHER A BOLT ON OR PRESS IN SCREEN CAN BE USED.
	Torque Camshaft	MTO-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTO-1	KIT INCLUDES 1-[MTO-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. CHECK FOR COIL BIND. USE [VS-720] SPRING W/INSTALLED HGT. OF 1.67 CLASS I NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	25211 25309	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT .295 INT .310 EXH CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	<i>Continued on Next Page</i>		

PERFORMANCE - OLDSMOBILE (Continued)

Line No.	Part Title	Part No	Description
9	455 ENG - 1968-76 - 8 Cyl. - 4.125 Bore (Continued)		
	Camshafts Using Hydraulic Lifters	25310	CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Camshaft Lifter Kits Using Hydraulic Lifters	35309 35310	KIT INCLUDES 1-[25309] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE KIT INCLUDES 1-[25310] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	MUST BE USED WITH ADJUSTABLE VALVE TRAIN SET AT ZERO LASH
	Valve Spring with Hydraulic Lifters	466124 466134	INNER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED OUTER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED
	Valve Locks	476104	11/32" STEM
	Retainers	475054	CHROME MOLY - USE WITH [466134] SPRINGS
	Chrome Moly Push Rods	500564	MAX. SPRING PRESSURE 350 LBS. HEAT TREATED
	3pc Set	40409	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET

PERFORMANCE - PONTIAC

Engine	Year	Line	Engine	Year	Line	Engine	Year	Line
6 Cyl.			8 Cyl. (Continued)			8 Cyl. (Continued)		
3.8-K,9 (229)	1980-83	1	326	1963-73	7	389	1959-66	14
4.3-Z (262)	1985	2	350	1968-76	8	400	1967-69	15
8 Cyl.			350-P	1977	9	421	1963-66	16
4.4-J (267)	1981-82	3	5.7-L (350)	1977-79	10	428	1967-69	17
301	1977-81	4	5.7-6 (350)	1985	11	455	1970-76	18
5.0 (305)	1977-87	5	5.7-G (350) OHV	1998-02	12			
5.0 (307)	1971-72	6	6.0-U (364) OHV	2005-06	13			

Line No.	Part Title	Part No	Description
1	3.8-K,9 (229) ENG - 1980-83 - 6 Cyl. - 3.736 Bore (ENGINE NOT USED IN 1982)		
	Mell Lube	M-10012	
	3pc Set	48500T-9 48500W-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES. INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. BRONZE WASHER RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
2	4.3-Z (262) ENG - 1985 - 6 Cyl. - 4.00 Bore		
	Mell Lube	M-10012	
	3pc Set	48500T-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
	<i>Continued on Next Page</i>		