

PERFORMANCE - OLDSMOBILE (Continued)

Line No.	Part Title	Part No	Description
9	455 ENG - 1968-76 - 8 Cyl. - 4.125 Bore (Continued)		
	Camshafts Using Hydraulic Lifters	25310	CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Camshaft Lifter Kits Using Hydraulic Lifters	35309 35310	KIT INCLUDES 1-[25309] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE KIT INCLUDES 1-[25310] CAM, 16-[29951] LIFTERS & 4OZ MELL LUBE CLASS III NOT COMPUTER COMPATIBLE
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	MUST BE USED WITH ADJUSTABLE VALVE TRAIN SET AT ZERO LASH
	Valve Spring with Hydraulic Lifters	466124 466134	INNER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED OUTER - USE WITH [25211], [25309], [MTO-1], [25310] CAMS - MACHING MAY BE REQUIRED
	Valve Locks	476104	11/32" STEM
	Retainers	475054	CHROME MOLY - USE WITH [466134] SPRINGS
	Chrome Moly Push Rods	500564	MAX. SPRING PRESSURE 350 LBS. HEAT TREATED
	3pc Set	40409	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET

PERFORMANCE - PONTIAC

Engine	Year	Line	Engine	Year	Line	Engine	Year	Line
6 Cyl.			8 Cyl. (Continued)			8 Cyl. (Continued)		
3.8-K,9 (229)	1980-83	1	326	1963-73	7	389	1959-66	14
4.3-Z (262)	1985	2	350	1968-76	8	400	1967-69	15
8 Cyl.			350-P	1977	9	421	1963-66	16
4.4-J (267)	1981-82	3	5.7-L (350)	1977-79	10	428	1967-69	17
301	1977-81	4	5.7-6 (350)	1985	11	455	1970-76	18
5.0 (305)	1977-87	5	5.7-G (350) OHV	1998-02	12			
5.0 (307)	1971-72	6	6.0-U (364) OHV	2005-06	13			

Line No.	Part Title	Part No	Description
1	3.8-K,9 (229) ENG - 1980-83 - 6 Cyl. - 3.736 Bore (ENGINE NOT USED IN 1982)		
	Mell Lube	M-10012	
	3pc Set	48500T-9 48500W-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES. INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. BRONZE WASHER RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
2	4.3-Z (262) ENG - 1985 - 6 Cyl. - 4.00 Bore		
	Mell Lube	M-10012	
	3pc Set	48500T-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
	<i>Continued on Next Page</i>		

PERFORMANCE - PONTIAC (Continued)

Line No.	Part Title	Part No	Description
2	4.3-Z (262) ENG - 1985 - 6 Cyl. - 4.00 Bore (Continued)		
	3pc Set	48500W-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. BRONZE WASHER RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
3	4.4-J (267) ENG - 1981-82 - 8 Cyl. - 3.50 Bore		
	Mell Lube	M-10012	
	3pc Set	48500T-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
		48500W-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. BRONZE WASHER RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
4	301 ENG - 1977-81 - 8 Cyl. - 4.000 Bore		
	Hydraulic Roller Lifters	299704	MUST BE USED WITH AN ADJUSTABLE VALVE TRAIN
	Oil Pump	10540 10541	HI PRESSURE PUMP - INCLUDES SCREEN HI PRESSURE PUMP (30% MORE PRESSURE THAN 10540) INCLUDES SCREEN
	Torque Camshaft	MTP-1	HI PRESSURE PUMP (30% MORE PRESSURE THAN 10540) INCLUDES SCREEN
	Torque Cam Lifter Kit	CL-MTP-1	CLASS I KIT INCLUDES 1-[MTP-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	26204 26303 26308	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Mell Lube	M-10012	
	Hydraulic Lifters	299694	
	Valve Locks	476104	
	Rocker Arms	498464	
	Retainers	475054	CHROME MOLY
5	5.0 (305) ENG - 1977-87 - 8 Cyl. - 3.736 Bore		
	Mell Lube	M-10012	
	3pc Set	48500T-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
		48500W-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. BRONZE WASHER RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
6	5.0 (307) ENG - 1971-72 - 8 Cyl. - 3 7/8 Bore		
	Mell Lube	M-10012	
	<i>Continued on Next Page</i>		

PERFORMANCE - PONTIAC (Continued)

Line No.	Part Title	Part No	Description
6	5.0 (307) ENG - 1971-72 - 8 Cyl. - 3 7/8 Bore (Continued)		
	3pc Set	48500T-9 48500W-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES. INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. BRONZE WASHER RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
7	326 ENG - 1963-73 - 8 Cyl. - 3.719 Bore		
	Oil Pump	10540 10541	HI PRESSURE PUMP - INCLUDES SCREEN HI PRESSURE PUMP (30% MORE PRESSURE THAN 10540) INCLUDES SCREEN
	Torque Camshaft	MTP-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTP-1	CLASS I KIT INCLUDES 1-[MTP-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	26204 26303 26308	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	MUST BE USED WITH AN ADJUSTABLE VALE TRAIN SET AT ZERO LASH
	Valve Locks	476104	
	Rocker Arms	498464	
	Retainers	475054	CHROME MOLY
	Chrome Moly Push Rods	500574	MAX. SPRING PRESSURE 350 LBS. HEAT TREATED
	3pc Set	40408	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET
8	350 ENG - 1968-76 - 8 Cyl. - 3.875 Bore		
	Oil Pump	10540 10541	HI PRESSURE PUMP - INCLUDES SCREEN HI PRESSURE PUMP (30% MORE PRESSURE THAN 10540) INCLUDES SCREEN
	Torque Camshaft	MTP-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTP-1	CLASS I KIT INCLUDES 1-[MTP-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	26204 26303 26308	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	MUST BE USED WITH AN ADJUSTABLE VALE TRAIN SET AT ZERO LASH
	Valve Locks	476104	
	Rocker Arms	498464	
	Retainers	475054	CHROME MOLY
	Chrome Moly Push Rods	500274	MAX. SPRING PRESSURE 350 LBS. HEAT TREATED
	<i>Continued on Next Page</i>		

PERFORMANCE - PONTIAC (Continued)

Line No.	Part Title	Part No	Description
8	350 ENG - 1968-76 - 8 Cyl. - 3.875 Bore (Continued)		
	3pc Set	40408	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET
9	350-P ENG - 1977 - 8 Cyl. - 3.875 Bore		
	Oil Pump	10540 10541	HI PRESSURE PUMP - INCLUDES SCREEN HI PRESSURE PUMP (30% MORE PRESSURE THAN 10540) INCLUDES SCREEN
	Torque Camshaft	MTP-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTP-1	CLASS I KIT INCLUDES 1-[MTP-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	26204 26303 26308	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	MUST BE USED WITH AN ADJUSTABLE VALE TRAIN SET AT ZERO LASH
	Valve Locks	476104	
	Rocker Arms	498464	
	Retainers	475054	CHROME MOLY
	Chrome Moly Push Rods	500274	MAX. SPRING PRESSURE 350 LBS. HEAT TREATED
	3pc Set	40408	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET
10	5.7-L (350) ENG - 1977-79 - 8 Cyl. - 3.875 Bore		
	Mell Lube	M-10012	
	3pc Set	48500T-9 48500W-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES. INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. BRONZE WASHER RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
11	5.7-6 (350) ENG - 1985 - 8 Cyl. - 3.875 Bore		
	Mell Lube	M-10012	
	3pc Set	48500T-9 48500W-9	INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. PRESS FIT ROLLER THRUST BEARINGS. RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES. INCLUDES SEAMLESS DOUBLE ROLLER CHAIN (.250" ROLLER), BILLET STEEL CAM SPROCKET & 9 KEYWAY CRANK SPROCKET WITH +4°/-4° CAM ADJUSTMENT. BRONZE WASHER RECOMMENDED FOR STREET AND STRIP, CIRCLE TRACK, HOT ROD AND CLAIMER ENGINES.
12	5.7-G (350) OHV ENG - 1998-02 - 8 Cyl. - 3.90 Bore LS1		
	Valve Spring Retainers	475234	CHROME MOLY
	Oil Pump	10295 10296	HI PRESSURE PUMP (10% MORE PRESSURE) HI VOL PUMP (18% MORE VOLUME OF OIL) FEATURES: HIGH PRESSURE RELIEF SPRING SUPPLIED.
	<i>Continued on Next Page</i>		

PERFORMANCE - PONTIAC (Continued)

Line No.	Part Title	Part No	Description
12	5.7-G (350) OHV ENG - 1998-02 - 8 Cyl. - 3.90 Bore LS1 (Continued)		
	Camshafts Using Hydraulic Roller Lifters	22201	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT .333 INT .333 EXH
	Mell Lube	M-10012	
13	6.0-U (364) OHV ENG - 2005-06 - 8 Cyl. - 4.00 Bore (GTO) VORTEC GEN IV		
	Oil Pump	10295 10296 10355	HI PRESSURE PUMP (10% MORE PRESSURE) HI PRESSURE PUMP (10% MORE PRESSURE) HI VOL PUMP (18% MORE VOLUME OF OIL) FEATURES: HIGH PRESSURE RELIEF SPRING SUPPLIED. HI VOL PUMP (18% MORE VOLUME OF OIL) FEATURES: HIGH PRESSURE RELIEF SPRING SUPPLIED. HI VOL PUMP (33% ADD'L VOL OF OIL) GEN III APPLICATIONS. STD VOL GEN IV APPLICATIONS. FEATURES: HARDCOAT ANODIZED BODY, CAST IRON PHOSPHATE COATED COVER, ADJUSTABLE PRESSURE W/OPTIONAL SPRING. HI VOL PUMP (33% ADD'L VOL OF OIL) GEN III APPLICATIONS, STD. VOL GEN IV APPLICATIONS. FEATURES: HARDCOAT ANODIZED BODY, CAST IRON PHOSPHATE COATED COVER, ADJUSTABLE PRESSURE W/OPTIONAL SPRINGS.
	Mell Lube	M-10012	
14	389 ENG - 1959-66 - 8 Cyl. - 4.062 Bore		
	Oil Pump	10540 10541	HI PRESSURE PUMP - INCLUDES SCREEN HI PRESSURE PUMP (30% MORE PRESSURE THAN 10540) INCLUDES SCREEN
	Torque Camshaft	MTP-1	HI PRESSURE PUMP (30% MORE PRESSURE THAN 10540) INCLUDES SCREEN
	Torque Cam Lifter Kit	CL-MTP-1	CLASS I KIT INCLUDES 1-[MTP-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	26204 26303 26308	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	MUST BE USED WITH AN ADJUSTABLE VALE TRAIN SET AT ZERO LASH
	Valve Locks	476104	
	Rocker Arms	498464	
	Retainers	475054	CHROME MOLY
	Chrome Moly Push Rods	500574	MAX. SPRING PRESSURE 350 LBS. HEAT TREATED
	3pc Set	40408	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET
15	400 ENG - 1967-69 - 8 Cyl. - 4.120 Bore		
	Oil Pump	10540 10541	HI PRESSURE PUMP - INCLUDES SCREEN HI PRESSURE PUMP (30% MORE PRESSURE THAN 10540) INCLUDES SCREEN
	Torque Camshaft	MTP-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTP-1	CLASS I KIT INCLUDES 1-[MTP-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	26204 26303 26308	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	<i>Continued on Next Page</i>		

PERFORMANCE - PONTIAC (Continued)

Line No.	Part Title	Part No	Description
15	400 ENG - 1967-69 - 8 Cyl. - 4.120 Bore (Continued)		
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	MUST BE USED WITH AN ADJUSTABLE VALE TRAIN SET AT ZERO LASH
	Valve Locks	476104	
	Rocker Arms	498464	
	Retainers	475054	CHROME MOLY
	Chrome Moly Push Rods	500274 500574	1968-1969 MAX. SPRING PRESSURE 350 LBS. EXCLUDES 1967 1967 MAX. SPRING PRESSURE 350 LBS. WITH 1ST TYPE CYL HEAD WITH PUSH ROD GUIDE PLATE - HEAT TREATED
	3pc Set	40408	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET
16	421 ENG - 1963-66 - 8 Cyl. - 4.093 Bore		
	Oil Pump	10540 10541	HI PRESSURE PUMP - INCLUDES SCREEN HI PRESSURE PUMP (30% MORE PRESSURE THAN 10540) INCLUDES SCREEN
	Torque Camshaft	MTP-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTP-1	CLASS I KIT INCLUDES 1-[MTP-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	26204 26303 26308	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	MUST BE USED WITH AN ADJUSTABLE VALE TRAIN SET AT ZERO LASH
	Valve Locks	476104	
	Rocker Arms	498464	
	Retainers	475054	CHROME MOLY
	Chrome Moly Push Rods	500574	MAX. SPRING PRESSURE 350 LBS. HEAT TREATED
	3pc Set	40408	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET
17	428 ENG - 1967-69 - 8 Cyl. - 4.120 Bore		
	Oil Pump	10540 10541	HI PRESSURE PUMP - INCLUDES SCREEN HI PRESSURE PUMP (30% MORE PRESSURE THAN 10540) INCLUDES SCREEN
	Torque Camshaft	MTP-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTP-1	CLASS I KIT INCLUDES 1-[MTP-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	26204 26303 26308	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	MUST BE USED WITH AN ADJUSTABLE VALE TRAIN SET AT ZERO LASH
	Valve Locks	476104	
	Rocker Arms	498464	
	Retainers	475054	CHROME MOLY
	<i>Continued on Next Page</i>		

PERFORMANCE - PONTIAC (Continued)

Line No.	Part Title	Part No	Description
17	428 ENG - 1967-69 - 8 Cyl. - 4.120 Bore (Continued)		
	Chrome Moly Push Rods	500574	MAX. SPRING PRESSURE 350 LBS. HEAT TREATED
	3pc Set	40408	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET
18	455 ENG - 1970-76 - 8 Cyl. - 4.151 Bore		
	Oil Pump	10540 10541	HI PRESSURE PUMP - INCLUDES SCREEN HI PRESSURE PUMP (30% MORE PRESSURE THAN 10540) INCLUDES SCREEN
	Torque Camshaft	MTP-1	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .280 INT .295 EXH
	Torque Cam Lifter Kit	CL-MTP-1	CLASS I KIT INCLUDES 1-[MTP-1] CAM, 16-[JB-951] LIFTERS & 4OZ MELL LUBE. NOT COMPUTER COMPATIBLE
	Camshafts Using Hydraulic Lifters	26204 26303 26308	CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED CLASS III NOT COMPUTER COMPATIBLE. CAM LIFT NOT LISTED
	Mell Lube	M-10012	
	Hydraulic Lifters	299514 299524	MUST BE USED WITH AN ADJUSTABLE VALE TRAIN SET AT ZERO LASH
	Valve Locks	476104	
	Rocker Arms	498464	
	Retainers	475054	CHROME MOLY
	Chrome Moly Push Rods	500274	MAX. SPRING PRESSURE 350 LBS. HEAT TREATED
	3pc Set	40408	INCLUDES SEAMLESS SOLID ROLLER CHAIN, CAST IRON CAM SPROCKET & MULTIPLE KEYWAY CRANK SPROCKET

SPORT COMPACT PERFORMANCE - TOYOTA CARS & TRUCKS

Engine	Year	Line	Engine	Year	Line	Engine	Year	Line
4 Cyl.			4 Cyl. (Continued)			4 Cyl. (Continued)		
2366CC 22RTEC OHC	1985-88	1	2366CC 22R OHC	1981-90	3	2366CC 22REC OHC	1983-89	5
2189CC 20R OHC	1975-80	2	2366CC 22RE OHC	1989-95	4			

Line No.	Part Title	Part No	Description
1	2366CC 22RTEC OHC ENG - 1985-88 - 4 Cyl. - 92 MM Bore (1985-88 TRUCK) (1985-88 4RUNNER) (OHC TURBO ENGINES)		
	Camshafts Using Mechanical Lifters	27101 27201	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .267 INT .275 EXH CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT .275 INT .283 EXH
	Mell Lube	M-10012	
2	2189CC 20R OHC ENG - 1975-80 - 4 Cyl. - 88 MM Bore (CORONA, CELICA & PICKUP)		
	Camshafts Using Mechanical Lifters	27101 27201	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .267 INT .275 EXH CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT .275 INT .283 EXH
	Mell Lube	M-10012	
3	2366CC 22R OHC ENG - 1981-90 - 4 Cyl. - 92 MM Bore (1981-82 CORONA) (1981-83 CELICA) (1981-90 PICKUP) (1984 4RUNNER)(CARB. ENGINES)		
	Camshafts Using Mechanical Lifters	27101 27201	CLASS I NOT COMPUTER COMPATIBLE. CAM LIFT .267 INT .275 EXH CLASS II NOT COMPUTER COMPATIBLE. CAM LIFT .275 INT .283 EXH
	Mell Lube	M-10012	